Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3328	709/220	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:15
S2	2180	709/221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:15
<b>S3</b>	999	709/248	US-PGPUB; USPAT; USOCR;	OR	ON	2005/02/13 17:15
			EPO; JPO; DERWENT; IBM_TDB			
S4	1895	709/249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:15
<b>S5</b>	2587	709/250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:16
S6	8863	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:16
<b>S7</b>	276	S6 and ((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 18:05
<b>S8</b>	205	S7 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:17

<i>ور</i>	S9	0	S6 and ((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:18
	<b>S10</b>	3	S6 and ((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:18
Ì	S11	69	("5557748").URPN.	USPAT	OR	OFF	2005/02/13 17:19
	<b>S12</b>	13.	("4864492"   "5101402"   "5109484"   "5408618"   "5430793"   "5446874"   "5454078"   "5459713"   "5490276"   "5493689"   "5499343"   "5500934"   "5509123").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:36
	S13	9	self adj configur\$ with network with (time or duration)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:38
	S14	205	S8 not S11	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:38
	S15	205	S14 not S12	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:52
	S16	O	predetermined near3 response near2 (time or duration) with multiple near3 network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	.2005/02/13 17:54
	S17	0	response near2 (time or duration) with multiple near3 network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:54
	S18	0	predetermined near2 (time or duration) with multiple near3 network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:54
	S19	101	predetermined near2 (time or duration) with network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:57
	<b>S20</b>	12	S19 with (multiple or plurality)	US-PGPUB; USPAT; USOCR	OR	<b>QFF</b>	2005/02/13 17:55
	S21	101	S19 not S12	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:58

S22	1825	((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration) with (plurality or multiple))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 18:06
S23	28	S22 with (network with device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 18:06